

**MONTEREY BAY UNIFIED AIR POLLUTION CONTROL DISTRICT
REGULATION II
PERMITS**

RULE 205. PROVISION OF SAMPLING AND TESTING FACILITIES

(Adopted 1-19-70; Revised 12-13-84, and 3-21-2001.)

CONTENTS

PART 1 GENERAL	1
1.1 Purpose	1
1.2 Applicability	1
1.3 Exemptions	1
1.4 Effective Dates	2
1.5 References	2
PART 2 DEFINITIONS	2
PART 3 REQUIREMENTS	2
3.1 Sampling and Testing Facilities	2

PART 1 GENERAL

1.1 Purpose

The purpose of this Rule is to establish provisions for sampling and testing facilities.

1.2 Applicability

The provisions of this Rule may apply to any person who applies for a District Permit.

1.3 Exemptions

Reserved.

**MONTEREY BAY UNIFIED AIR POLLUTION CONTROL DISTRICT
REGULATION II
PERMITS**

1.4 Effective Dates

This Rule, as most recently revised, is effective on March 21, 2001.

1.5 References

The requirements of this Rule arise from the provisions of California Health and Safety Code Section 40702. Referenced or related District Rules include: 101 (Definitions); 200 (Permits Required); and 201 (Sources Not Requiring Permits).

PART 2 DEFINITIONS

Reserved.

PART 3 REQUIREMENTS

3.1 Sampling and Testing Facilities

A person operating or using any article, machine, equipment, or other contrivance for which District Rules require a permit shall provide and maintain such sampling and testing facilities as specified in their Authority to Construct or Permit to Operate.

* * * * *